

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	((("20020083043") or ("20030095524")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 09:04
S2	9232	(link\$4) with (device) with together and 2ad<="20030430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 09:06
S3	5014	(link\$4) with (device) with together and @ad<="20030430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 09:10
S4	1753	((link\$4) with (device) with together).ab,ti. and @ad<="20030430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 09:17
S5	425	((link\$4) with (device) with together).ab,ti. and ((control\$4 or program\$4) with (device)) and @ad<="20030430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 13:50
S6	48	((link\$4) with (device) with together).ab,ti. and ((control\$4 or program\$4) with (device)) and @rlad<="20030430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 13:51
S7	4066	(updat\$4) with (application or software) with device and @ad<="20030430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:15
S8	548	(updat\$4) near2 (application or software) near2 device and @ad<="20030430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:15

S9	141	((updat\$4) near2 (application or software) near2 device).ab,ti. and @ad<="20030430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:39
S10	4998	(709/227,248).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:41
S11	425	((link\$4) with (device) with together).ab,ti. and ((control\$4 or program\$4) with (device)) and @ad<="20030430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:43
S12	10	S10 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:42
S13	4245	(370/338).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:42
S14	0	S11 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:43
S15	2190	((link\$4) with (device) with together) and ((control\$4 or program\$4) with (device)) and @ad<="20030430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:48
S16	6	S15 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:43
S17	768	((link\$4) with (device) with together) and ((control\$4 or program\$4) with (device)) and @rlad<="20030430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:48

S18	0	S17 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:48
S19	78	((link\$4) with (device) with together) and (send\$4 or transmit \$4) with (device or printer or fax) with protocol and @ad<="20030430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:49
S20	5	((link\$4) with (device) with together) and (send\$4 or transmit \$4) with (device or printer or fax) with protocol same service and @ad<="20030430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:50
S21	4	((link\$4) with (device) with together) and (send\$4 or transmit \$4) with (device or printer or fax) with protocol same service and @rlad<="20030430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:50
S22	495	(load\$4 near3 balanc\$4) with print \$4 and (@ad<="20030430" or@rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 09:18
S23	7	(load\$4 near3 balanc\$4) with print \$4 same (split near3 job) and (@ad<="20030430" or@rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 09:19
S24	19	(load\$4 near3 balanc\$4) with print \$4 same (split\$4 near3 job) and (@ad<="20030430" or@rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 09:19
S25	10	(load\$4 near3 balanc\$4) with print \$4 same (split\$4 near3 job) and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 09:33
S26	700	horizontal near3 service and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 09:37

S27	3180	horizontal with service and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 09:37
S28	227	horizontal adj2 service and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 09:37
S29	85	(horizontal adj2 service).ab.ti. and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 09:38
S30	12	horizontal adj2 service same network and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 09:40
S31	8	cluster near3 print\$4 same load near2 balanc\$4 and (split\$4 near3 print\$4) and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 10:59
S32	10	cluster near3 print\$4 same load near2 balanc\$4 and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 11:13
S33	25	cluster near3 print\$4 and load near2 balanc\$4 and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 11:13
S34	15	S33 not S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 11:13
S35	7	search\$4 near4 updat\$4 near3 printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 11:29

S36	0	search\$4 near4 updat\$4 near3 printer same notify\$4 and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 11:40
S37	1	search\$4 near4 updat\$4 near3 printer and notify\$4 and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 11:40
S38	2	("20040249924").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 10:59
S39	5	updat\$4 near3 (all or multiple or many) with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 11:01
S40	4	updat\$4 with (all or multiple or many) with printer with driver and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 11:02
S41	503	updat\$4 with print\$4 near3 job and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 11:06
S42	253	updat\$4 near3 print\$4 near3 job and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 11:06
S43	25	(updat\$4 near3 print\$4 near3 job). ab,ti. and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 11:06
S44	12	updat\$4 near3 print\$4 near3 job near4 queue and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 12:57

S45	0	updat\$4 near4 driver same push same (multiple or many) with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 13:00
S46	14	updat\$4 near4 driver same (multiple or many) with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 13:00
S47	220	updat\$4 with print\$4 near3 service and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 13:58
S48	33	(updat\$4 with print\$4 near3 service).ab.ti. and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 13:58
S49	0	updat\$4 near3 "all" near4 printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 14:04
S50	40	updat\$4 near3 (all or every) near4 printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 14:04
S51	0	updat\$4 near3 (all) near4 printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 14:05
S52	0	updat\$4 near3 (all) with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 14:05
S53	0	updat\$4 with (all) with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 14:05

S54	14	broadcast\$4 with updat\$4 with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 14:05
S55	2	broadcast\$4 with driver with updat\$4 with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 14:06
S56	4	broadcast\$4 same driver with updat\$4 with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 14:06
S57	11	(broadcast\$4 or push\$4) same driver with updat\$4 with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 14:07
S58	7	( push\$4) same driver with updat\$4 with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 14:07
S59	0	( push\$4) same driver with updat\$4 with printers and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:08
S60	0	( push\$4) same driver same updat\$4 with printers and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:08
S61	2	( push\$4) same driver same updat\$4 same printers and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:08
S62	20	( push\$4) same updat\$4 same printers and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:09

S63	0	( push\$4) same updat\$4 same printers with server and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:10
S64	149	updat\$4 same printers with server and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:10
S65	37	updat\$4 near4 printers with server and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:10
S66	189	updat\$4 near4 printers and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:10
S67	45	(updat\$4 near4 printers).ab,ti. and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:10
S68	134	status near2 print with server with job and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:21
S69	0	print with server with check\$4 near2 status near2 job and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:22
S70	5	print with server same check\$4 near2 status near2 job and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/26 14:23
S71	365	updat\$4 with print\$4 with function and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:20



S72	117	updat\$4 near4 print\$4 near4 function and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:20
S73	415	updat\$4 with print near3 (queue or job) and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:33
S74	125	updat\$4 with print near3 (queue or job) with status and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:33
S75	0	updat\$4 with prints near3 driver and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:55
S76	1	updat\$4 with prints with driver and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:55
S77	23	updat\$4 with printers with driver and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:56
S78	0	broadcast\$4 near4 update with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:57
S79	1	broadcast\$4 near4 update with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 09:57
S80	1	broadcast\$4 with update with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 09:57

S81	14	broadcast\$4 with updat\$4 with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 09:57
S82	32	notify\$4 with updat\$4 with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 09:58
S83	465	updat\$4 with network with printers and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 10:07
S84	141	updat\$4 near4 network near5 printers and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 10:07
S85	0	updat\$4 near4 network near5 (all or some or many or multiple) near5 printers and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 10:13
S86	0	updat\$4 with (all or some) near3 service and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 13:01
S87	36281	updat\$4 with (application or driver) and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 13:02
S88	6734	updat\$4 adj2 (application or driver) and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 13:03
S89	1	updat\$4 adj2 (application or driver) with (many or multiple) near4 printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 13:06

S90	0	updat\$4 with cluster near2 print\$4 and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 13:19
S91	18396	updat\$4 near2 (device or printer) and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 13:19
S92	1320	updat\$4 near2 printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 14:20
S93	74	updat\$4 near2 printer with service and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 14:20
S94	57	updat\$4 with (multiple or many) with printer and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 14:25
S95	4	(selective) with updat\$4 with (multiple or many) with (printer or device) and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 14:49
S96	9	(selective) with updat\$4 with (multiple or many) with (printer or device or application or program) and (@ad<="20030430" or @rlad<="20030430")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 14:50
S97	5	S96 not S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 14:50

### EAST Search History (Interference)

<This search history is empty>

8/ 5/ 2009 3:53:26 PM

C:\Documents and Settings\btiv\My Documents\EAST\Workspaces\10820865\_link\_device\_together.wsp